

I.V. stand / Drip stand

Material: stainless steel

I-I12223

PRODUCT DESCRIPTION

| | |
|-------------------------------|---|
| Field of application | Intensive Care |
| Material | Stainless steel |
| Colour of plastic parts | Blue-grey/ Black |
| Bottle Holder | Stainless steel to plug in, bottle holder |
| Number of hooks | 4 |
| Arrangement of the hooks | 90° to each other |
| Type of height adjustment | Screw height adjustment |
| Maximum length/height | 2,450 |
| Minimum length/height | 1,500 |
| Inner tube diameter | Ø 18 mm |
| Outer tube diameter | Ø 25 mm |
| Length of outer tube | 1,200 |
| Base leg profile | 45 x 25 mm |
| Base weight | Weighted |
| Base diameter | Ø 680 mm |
| Castors | Mono castors |
| Castor diameter | Ø 75 mm |
| Drip vessel sterilizable | Yes |
| Total load capacity (kg) | 21 |
| Load capacity per system (kg) | 8 |
| Load capacity per hook (kg) | 2 |



PACKAGING UNIT: UNIT

| | |
|-------------|--------|
| Width Box1 | 0,22 m |
| Height Box1 | 0,12 m |
| Length Box1 | 1,47 m |
| Weight Box1 | 9,1 kg |



Best hygienic properties
stainless steel (1.4301)



I-I12223

I.V. stand / Drip stand



Area of application

comfortable height adjustment through a screw-height adjustment with an integrated, surface-gently mold clamping element

The outer tube offers enough space to attach various devices at a user-friendly operating height

longer outer tube 1.200 mm enables the attachment of pumps in a customer-friendly height display



Technology

All plastic parts are lightfast

Stainless steel tubes according to DIN EN 10217-7

Material ultrasonic and eddy current tested (according to EN 10246-9/3)

The integrated pull-out limiter prevents the adjustable tubes from separating

Safety bottle cross according to DIN ISO 15375

great running characteristic through high value 80 mm Mono castors

a sealing cap prevents the IV-pole from hygienical sensitive liquids



Economy

Compact packaging allows for low-cost shipping



Safety

The base legs are sealed with plastic plugs (no risk of injury)

Low risk of pinching when retracting and extending the IV-pole thanks to the built-in safety distance

electrically conductive

an integrated base-weights facilitates a safer attachment of various pumps and other medical equipment

No risk of injury thanks to the rounded shape of the bottle hooks

The geometry of the hooks prevents the infusion bottle from falling out

